Thunder Bay Regional Health Sciences Centre

Enhanced Airborne, Droplet & Contact PPE To be used by the Intubation Team

To be used by the Intubation Team of a patient with suspect or confirmed COVID-19

Donning Checklist for Intubation Enhanced Airborne, Droplet, and Contact Precautions

Safety Leader Instructions (to be donned in Airborne, Contact, Droplet PPE)

- **1.** At every step, first read instructions completely
- 2. Read each instruction aloud, as written on this checklist to the staff member; ensure they listen first and then complete the instruction.
- 3. Observe staff member completing step. Guide, if necessary, to ensure done properly
- 4. Check off (□)

Pre-Donning Instructions		
Please check off each step as completed:		
1. Consider using washroom/hydrating prior to donning PPE.		
2. Confirm all jewelry, staff badges, stethoscopes, other loose items removed.		
3. Ensure face is clean shaven.		
4. Secure long hair (in a bun, if possible).		
5. Lay out and inspect your PPE for damage.		

PPE and Equipment

- □ Kleenguard A60 suit (with feet attached, 1 size larger than your body size)
- Bouffant
- N95 fit-tested mask
- □ Full face shield
- □ 1 pair of Nitrile gloves (12" long)
- 1 additional pair of Nitrile gloves ("Patient Care gloves) can be one size larger than normally worn size
- Alcohol based hand rub (ABHR)
- Sharpie/Marker for identification of staff/role on PPE

	Check off each step as completed:		
	me to read each instruction fully before you start any action. Please complete each step slowly.		
1	Perform hand hygiene slowly with ABHR.		
	Be sure to get nail beds and fingers, web spaces, thumbs, back of hands and wrists.		
2	2. If wearing glasses, remove them.		
	 Cup the N95 mask with one hand, straps hanging down. 		
	Fit snug to face and below chin.		
3	Place on face and secure using elastic bands.		
	Bottom strap must rest below ears on skin.		
	Top strap must rest above ears, on crown of head		
	Straps must not be crossed.		
4	 Seal mask by placing both of your middle fingers at the bridge of your nose. 		
	Use your index fingers to mold metal strip along the sides of nose and cheeks.		
5	5. Perform seal check by placing your hands below your chin and exhale quickly.		
	 If you feel leakage, readjust the fit of your N95 mask and perform another seal check. 		
	Repeat with hands at side of mask.		
	Repeat with hands at top of mask.		
	6. Put glasses back on, if applicable.		
7	7. Put on first pair of nitrile gloves.		
	Ensure gloves are pulled up correctly before person dons the one-piece suit.		
8	3. Insert feet into suit.		
	Can be sitting or standing.		
	Don the suit to the waist.		
9	 Stand up, put arms into sleeves, and bring suit over shoulders. 		
	Ensure gloves are UNDER the cuff of the suit.		
	0. Put on blue bouffant and ensure all hair is tucked into bouffant.		
1	1. Don the HOOD of the suit.		
	 2nd health care worker is to make sure person is looking straight ahead, to ensure even fit 		
	Ensure all hair is tucked into hood.		
1	2. Pull up the remaining suit.		
	Ensure adequate and proper size fitting suit		
1	3. Zip up to the top of the suit.		
	Remove the protective strip and seal the front of the suit		
14. Ensure the suit is appropriate fit through movement (i.e. Walking, movement of limbs)			
1	5. Place face shield over the hood.		
	Foam band to be resting in middle of forehead.		
1	6. Extend the second pair of gloves OVER the cuffs of the suit.		
	 2nd health care worker to assist with placement of glove over hand and cuff 		
	2 nd health care worker to ensure cuff of suit entirely covered once gloves placed		
1	7. 2 nd health care worker ensures no final adjustments need to be made.		
	All PPE is securely placed		
	8. 2 nd health care worker to write name and role of donner on PPE		
1	9. Reminder that donner must		
	Avoid adjusting any of the PPE		
	NOT TOUCH face shield / N95 mask		
2	20. You are ready to enter the patient's room.		

Date:	Staff Member Name/Signature
Time	Patatu Landar Nama/Cirunatura
i me:	Safety Leader Name/Signature
	Date: Time:

April 2 2020 v3



Enhanced Airborne, Droplet & Contact PPE To be used by the Intubation Team

To be used by the Intubation Team of a patient with suspect or confirmed COVID-19

Doffing Checklist for Intubation Enhanced Airborne, Droplet, and Contact Precautions

Doffing Process

Safety Leader to:

- Wear Droplet, Contact PPE
- Use checklist but not assist with doffing

2nd health care worker to:

- Wear Airborne, Droplet, Contact PPE
- Assist primary health care worker with doffing within the anteroom (if available)
- Stay on the clean side of the anteroom

Safety Leader Instructions

- 1. At every step, first read instructions completely
- 2. Read each instruction aloud, as written on this checklist to the staff member; ensure they listen first and then complete the instruction.
- 3. Observe staff member completing step. Guide to ensure done properly
- **4.** Check off (\Box)

DOFFING INSTRUCTIONS			
Check off each step as completed:			
Allow me to read each instruction fully before you start any action. Please complete each step slowly.			
1. Rotate 360 degrees for contamination review.			
I will assess for breaches (if breach, address this and notify direct supervisor and Occupational Health and Safety			
immediately)			
2. If not already done, face garbage inside patient room, remove and discard patient care gloves			
3. Sanitize pair of nitrile gloves using ABHR.			
4. Exit patient room into the anteroom.			
5. Remove face shield, while facing garbage.			
 Outside of the face shield is contaminated. 			
 Do not touch front of face shield. 			
Handle the face shield by the headband.			
Lean forward, keep chin up and close eyes.			
Remove face shield and discard.			
6. 2 nd health care worker to unzip Kleenguard A60 suit			
7. 2 nd health care worker to sanitize their gloves with ABHR			
8. Remove hood of suit:			
 1st health care worker to hold top of hood; up and back 			
 2nd health care worker to hold sides of suit and remove back 			
 Grab only the OUTSIDE of the suit to remove the hood 			
 Roll the suit into itself; outwards and away from body 			
 Once the suit has passed the shoulders, begin to roll down toward the floor until the ankles are reached 			
9. Both health care workers sanitize gloves with ABHR			
10. Remove feet from the suit.			
Step out of suit			
11. 1 st health care worker to discard suit into garbage, touching only the inside of the suit.			
12. 1 st health care worker to sanitize gloves with ABHR			
13. Remove 1 st pair of nitrile gloves			
Outside of gloves may be contaminated			
Use glove to glove, skin to skin technique			
 With dominant gloved hand grasp the inner palm area of non-dominant gloved hand 			
 Peel off and hold removed glove in gloved hand 			
 Slide ungloved fingers of opposite hand under remaining outer glove; DO NOT TOUCH outside of glove; peel off, 			
forming a ball			
 Discard into garbage 			
14. Perform hand hygiene with ABHR			
15. Remove bouffant.			
Grasp back of cap and pull off towards the back.			
16. Perform hand hygiene with ABHR			
17. If wearing glasses, remove glasses, then remove N95 mask.			
DO NOT TOUCH front of N95 mask			
 Reach up behind head and identify bottom strap 			
 Grasp bottom strap and pull over the head, ensuring no contact with the head and front of mask 			
 Let bottom strap dangle 			
 While leaning forward, chin away from chest, reach up behind head 			
 Identify top strap 			
Discard into garbage			
18. Perform hand hygiene with ABHR.			
Slowly and carefully use ABHR ensuring you get nail beds, finger tips, web spaces, thumbs, back of hands and wrists			
19. Exit the anteroom.			
20. Wash hands using soap and water.			
21. Safety Leader to identify and report any breaches to direct supervisor, manager, and Occupational Health and			
Safety.			

Staff Member Name/Signature
Safety Leader Name/Signature

April 2 2020 v3